



DISTRIBUTORS OF BEARING & POWER TRANSMISSION PRODUCTS

## 6200 SERIES

## CRB 200 SERIES

P/N	Brg Bore		Shaft Diameter		Brg OD Housing Diameter		P/N	Brg Bore		Shaft Diameter		Brg OD Housing Diameter	
	mm	Max	Min	mm	Min	Max		mm	Max	Min	mm	Min	Max
6200	10	0.3939	0.3936	30	1.1811	1.1816	202	15	0.5910	0.5906	35	1.3780	1.3786
6201	12	0.4726	0.4723	32	1.2598	1.2604	203	17	0.6697	0.6693	40	1.5748	1.5754
6202	15	0.5908	0.5905	35	1.3780	1.3786	204	20	0.7879	0.7875	47	1.8504	1.8510
6203	17	0.6695	0.6692	40	1.5780	1.5754	205	25	0.9848	0.9844	52	2.0472	2.0479
6204	20	0.7876	0.7872	47	1.8504	1.8510	206	30	1.1816	1.1812	62	2.4409	2.4416
6205	25	0.9845	0.9841	52	2.0472	2.0479	207	35	1.3785	1.3781	72	2.8346	2.8353
6206	30	1.1813	1.1809	62	2.4409	2.4416	208	40	1.5753	1.5749	80	3.1496	3.1503
6207	35	1.3782	1.3778	72	2.8346	2.8353	209	45	1.7722	1.7718	85	3.3464	3.3474
6208	40	1.5750	1.5746	80	3.1496	3.1503	210	50	1.9690	1.9686	90	3.5433	3.5442
6209	45	1.7722	1.7718	85	3.3464	3.3474	211	55	2.1660	2.1655	100	3.9370	3.9379
6210	50	1.9690	1.9686	90	3.5433	3.5442	212	60	2.3628	2.3623	110	4.3307	4.3316
6211	55	2.1660	2.1655	100	3.9370	3.9379	213	65	2.5601	2.5596	120	4.7244	4.7253
6212	60	2.3628	2.3623	110	4.3307	4.3316	214	70	2.7569	2.7564	125	4.9212	4.9223
6213	65	2.5597	2.5592	120	4.7244	4.7253	215	75	2.9538	2.9533	130	5.1181	5.1191
6214	70	2.7565	2.7560	125	4.9212	4.9223	216	80	3.1506	3.1501	140	5.5118	5.5128
6215	75	2.9534	2.9529	130	5.1181	5.1191	217	85	3.3476	3.3470	150	5.9055	5.9065
6216	80	3.1502	3.1497	140	5.5118	5.5128	218	90	3.5444	3.5438	160	6.2992	6.3002
6217	85	3.3472	3.3466	150	5.9055	5.9065	219	95	3.7413	3.7407	170	6.6929	6.6939
6218	90	3.5440	3.5434	160	6.2992	6.3002	220	100	3.9381	3.9375	180	7.0866	7.0876
6219	95	3.7409	3.7403	170	6.6929	6.6939	221	105	4.1350	4.1344	190	7.4803	7.4815
6220	100	3.9377	3.9371	180	7.0866	7.0876	222	110	4.3318	4.3312	200	7.8740	7.8752
6221	105	4.1350	4.1344	190	7.4803	7.4815	224	120	4.7255	4.7249	215	8.4646	8.4658
6222	110	4.3318	4.3312	200	7.8740	7.8752	226	130	5.1194	5.1187	230	9.0551	9.0563
6224	120	4.7255	4.7249	215	8.4646	8.4658	228	140	5.5131	5.5124	250	9.8425	9.8437
6226	130	5.1194	5.1187	230	9.0551	9.0563	230	150	5.9068	5.9061	270	10.6299	10.6311
6228	140	5.5131	5.5124	250	9.8425	9.8437	232	160	6.3005	6.2998	290	11.4173	11.4185
6230	150	5.9068	5.9061	270	10.6299	10.6311	234	170	6.6942	6.6935	310	12.2047	12.2059
6232	160	6.3005	6.2998	290	11.4173	11.4185	236	180	7.0879	7.0872	320	12.5984	12.5998
6234	170	6.6942	6.6935	310	12.2047	12.2059	238	190	7.4817	7.4809	340	13.3858	13.3872
6236	180	7.0879	7.0872	320	12.5984	12.5998	240	200	7.8754	7.8746	360	14.1732	14.1746
6238	190	7.4817	7.4809	340	13.3858	13.3872							
6240	200	7.8754	7.8746	360	14.1732	14.1746							

## 6300 SERIES

## CRB 300 SERIES

P/N	Brg Bore		Shaft Diameter		Brg OD Housing Diameter		P/N	Brg Bore		Shaft Diameter		Brg OD Housing Diameter	
	mm	Max	Min	mm	Min	Max		mm	Max	Min	mm	Min	Max
6300	10	0.3939	0.3936	35	1.3780	1.3786	303	17	0.6697	0.6693	47	1.8504	1.8510
6301	12	0.4726	0.4723	37	1.4567	1.4573	304	20	0.7879	0.7875	52	2.0472	2.0479
6302	15	0.5908	0.5905	42	1.6535	1.6541	305	25	0.9848	0.9844	62	2.4409	2.4416
6303	17	0.6695	0.6692	47	1.8504	1.8510	306	30	1.1816	1.1812	72	2.8346	2.8353
6304	20	0.7876	0.7872	52	2.0472	2.0479	307	35	1.3785	1.3781	80	3.1496	3.1503
6305	25	0.9845	0.9841	62	2.4409	2.4416	308	40	1.5753	1.5749	90	3.5433	3.5442
6306	30	1.1813	1.1809	72	2.8346	2.8353	309	45	1.7722	1.7718	100	3.9370	3.9379
6307	35	1.3782	1.3778	80	3.1496	3.1503	310	50	1.9690	1.9686	110	4.3307	4.3316
6308	40	1.5750	1.5746	90	3.5433	3.5442	311	55	2.1660	2.1655	120	4.7244	4.7253
6309	45	1.7719	1.7715	100	3.9370	3.9379	312	60	2.3628	2.3623	130	5.1181	5.1191
6310	50	1.9687	1.9683	110	4.3307	4.3316	313	65	2.5601	2.5596	140	5.5118	5.5128
6311	55	2.1660	2.1655	120	4.7244	4.7253	314	70	2.7569	2.7564	150	5.9055	5.9065
6312	60	2.3628	2.3623	130	5.1181	5.1191	315	75	2.9538	2.9533	160	6.2992	6.3002
6313	65	2.5597	2.5592	140	5.5118	5.5128	316	80	3.1506	3.1501	170	6.6929	6.6939
6314	70	2.7565	2.7560	150	5.9055	5.9065	317	85	3.3476	3.3470	180	7.0866	7.0876
6315	75	2.9534	2.9529	160	6.2992	6.3002	318	90	3.5444	3.5438	190	7.4803	7.4815
6316	80	3.1502	3.1497	170	6.6929	6.6939	319	95	3.7413	3.7407	200	7.8740	7.8752
6317	85	3.3472	3.3466	180	7.0866	7.0876	320	100	3.9381	3.9375	215	8.4646	8.4658
6318	90	3.5440	3.5434	190	7.4803	7.4815	321	105	4.1350	4.1344	225	8.8582	8.8595
6319	95	3.7409	3.7403	200	7.8740	7.8752	322	110	4.3318	4.3312	240	9.4488	9.4500
6320	100	3.9377	3.9371	215	8.4646	8.4658	324	120	4.7255	4.7249	260	10.2362	10.2374
6321	105	4.1350	4.1344	225	8.8582	8.8595	326	130	5.1194	5.1187	280	11.0236	11.0248
6322	110	4.3318	4.3312	240	9.4488	9.4500	328	140	5.5131	5.5124	300	11.8110	11.8122
6324	120	4.7255	4.7249	260	10.2362	10.2374	330	150	5.9068	5.9061	320	12.5984	12.5998
6326	130	5.1194	5.1187	280	11.0236	11.0248	332	160	6.3005	6.2998	340	13.3858	13.3872
6328	140	5.5131	5.5124	300	11.8110	11.8122	334	170	6.6942	6.6935	360	14.1732	14.1746
6330	150	5.9068	5.9061	320	12.5984	12.5998	336	180	7.0879	7.0872	380	14.9606	14.9620
6332	160	6.3005	6.2998	340	13.3858	13.3872	338	190	7.4817	7.4809	400	15.7480	15.7494
6334	170	6.6942	6.6935	360	14.1732	14.1746	340	200	7.8754	7.8746	420	16.5354	16.5370
6336	180	7.0879	7.0872	380	14.9606	14.9620							
6338	190	7.4817	7.4809	400	15.7480	15.7494							
6340	200	7.8754	7.8746	420	16.5354	16.5370							

Contents Compliments of Schaeffler

Always confirm bearing size before repairing shaft and housing dimensions. Although care has been taken in producing this information neither Midpoint nor Schaeffler will be liable for any errors or omissions.

midpointbearing.com  
800-227-2136